

# 12% CASUAL SUBCONTRACTOR AGREEMENT



## PERSONAL INFORMATION

Company Name \_\_\_\_\_ ABN \_\_\_\_\_

Contact Name \_\_\_\_\_

Phone \_\_\_\_\_ Mobile \_\_\_\_\_

Email \_\_\_\_\_

Postal Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Post Code \_\_\_\_\_ Country \_\_\_\_\_

Home Address (if different from above) \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_

Post Code \_\_\_\_\_ Country \_\_\_\_\_

## BANK ACCOUNT DETAILS

Bank \_\_\_\_\_ Account Name \_\_\_\_\_

BSB \_\_\_\_\_ Account Number \_\_\_\_\_

## INSURANCE DETAILS (CERTIFICATES OF CURRENCY MUST BE ATTACHED)

Public Liability Insurer \_\_\_\_\_ Policy Number \_\_\_\_\_

Insured Amount \_\_\_\_\_ Expiry Date \_\_\_\_\_

Workcover Insurer (If Applicable) \_\_\_\_\_ Policy Number \_\_\_\_\_

Insured Amount \_\_\_\_\_ Expiry Date \_\_\_\_\_

Personal Accident Insurer (If Applicable) \_\_\_\_\_ Policy Number \_\_\_\_\_

Insured Amount \_\_\_\_\_ Expiry Date \_\_\_\_\_

Plant Insurance Insurer (If Applicable) \_\_\_\_\_ Policy Number \_\_\_\_\_

Insured Amount \_\_\_\_\_ Expiry Date \_\_\_\_\_

*Initial Agreeing True & Correct*

---

## OPERATOR DETAILS

---

### OPERATOR 1 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	.....	Mobile	.....
Drivers Licence No.	.....	License Type	.....
Tickets	.....	Ticket No.	.....
Blue/White Card No.	.....	Other Cards	.....
Unit #:	.....		

---

### OPERATOR 2 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	.....	Mobile	.....
Drivers Licence No.	.....	License Type	.....
Tickets	.....	Ticket No.	.....
Blue/White Card No.	.....	Other Cards	.....
Unit #:	.....		

---

### OPERATOR 3 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	.....	Mobile	.....
Drivers Licence No.	.....	License Type	.....
Tickets	.....	Ticket No.	.....
Blue/White Card No.	.....	Other Cards	.....
Unit #:	.....		

---

### OPERATOR 4 (MUST PROVIDE COPIES OF LICENCE, TICKETS & BLUE OR WHITE CARD)

Name	.....	Mobile	.....
Drivers Licence No.	.....	License Type	.....
Tickets	.....	Ticket No.	.....
Blue/White Card No.	.....	Other Cards	.....
Unit #:	.....		

*Initial Agreeing True & Correct*

---

## TERMS & CONDITIONS OF CONTRACT

---

### **1. Insurances:**

Under the terms of this agreement you are responsible for insuring all the Plant & Equipment for full comprehensive cover. You are also required to have a minimum \$20 million of public liability insurance. These insurances are to be kept current at all times. CERTIFICATES OF CURRENCIES MUST be provided to M & K PLANT HIRE. Where the sub-contractor fails to provide renewed Certificates of Currencies, M & K Plant Hire will immediately cease allocation of jobs to the sub-contractor. Tax invoices for premium payments will not be accepted as proof of cover.

### **2. Registration:**

Your truck and machinery must carry current Qld Transport registration.

### **3. Fire Ants:**

It is M & K PLANT HIRE company policy that we will not work in Fire Ant designated areas unless a DPI inspection number has been allocated. The DPI number will need to be quoted on the job docket and on the movement certificate for any material carted to an approved tip.

### **4. A.B.N:**

You have to provide proof of being registered for GST to the M & K PLANT HIRE office otherwise a 48.5% withholding tax will apply.

### **5. Operator Tickets/Safety Induction Tickets:**

The following minimum is required:

- Tickets for the operation of all the Plant & Equipment as described in your unit. For each operator.
- General Safety Induction card. (National)
- Copies MUST be supplied to M & K PLANT HIRE.

### **6. Customer Service:**

The sub-contractor is a representative of M & K PLANT HIRE. Therefore, the sub-contractor is expected to promote customer satisfaction and in particular ensure that:

- The operator is ready to start work for the customer by the specified start time.
- The work is completed as per the customer's requirements.
- The work is completed in a timely fashion without unnecessary delays.
- Risks to persons and property are minimised.
- A "Sale Method Statement" is now required by the Qld Government to be held by all operators and their machinery. Please ask staff for more information.
- The sub-contractor will be required to cooperate fully to rectify any damage, claims, and complaints. Sub-contractors must not leave the job site at which any damage, claims or complaints have been raised without first contacting the bookings office.

### **7. Signage:**

Full-time Sub-Contractors must display M & K PLANT HIRE signs/stickers on Trucks, Plant & Equipment whilst working for M & K PLANT HIRE customers and during the specified hours of this agreement. Casual Sub-Contractors can display at their choice. Stickers are available free of charge.

*Initial Agreeing True & Correct*

---

## TERMS & CONDITIONS OF CONTRACT CONT.

---

### **8. Promotion (Fulltime):**

The Full-Time sub-contractor is encouraged to promote M & K PLANT HIRE and generate jobs for their equipment. This work must be booked through the M & K PLANT HIRE booking office if it is within the contracted hours. Seeking direct payment for work is not permitted on M & K PLANT HIRE jobs or to existing M & K PLANT HIRE customers and if undertaken will cause this agreement to cease immediately and may result in legal action.

### **9. Promotion (Casual):**

The CASUAL sub-contractor is encouraged to promote M & K PLANT HIRE and generate jobs for their equipment. This work can be booked through the M & K PLANT HIRE booking office, simply ask the customers to request you for the job at the time of booking. Seeking direct payment is not permitted on M & K PLANT HIRE jobs or to existing M & K PLANT HIRE customers and if undertaken will cause this agreement to cease immediately and may result in legal action.

### **10. Termination of this agreement:**

This agreement can be terminated by either party giving one month's notice in writing. This agreement may also be terminated by M & K PLANT HIRE immediately following serious misconduct by the sub-contractor. Serious misconduct includes but is not limited to WH&S requirement breaches, major damage to client's property, unsafe plant and equipment and soliciting business from M & K PLANT HIRE customers.

### **11. Terms and Conditions of Hire:**

- **Minimum Hire Charges** - Please refer to the price list for our minimum hire charges (noted under respective sections)
- **Travel** - Travel charge is 1 hour within 30 kilometres of the Brisbane CBD, extra travel will apply outside of the 30 kilometre radius (eg: up to 45kms = 1.5 hours travel, up to 60kms = 2 hours, up to 90kms = 3 hours)
- **Carry Over Travel** - All machinery/tippers have a daily minimum 1 hour travel charge (extra travel applies if outside the 30kms radius). For long term work please contact M&K to arrange a reduced carry over travel agreement prior to commencement. Plant 13T and above will incur a float charge.
- **Penalty Rates** - Penalty Rates of an additional \$35 + GST per hour will apply for Sundays, Public Holidays and Night Work between 6.00pm to 6am.
- **Toll Charges** - Toll Charges may be incurred to and from tip sites (should you wish for the drivers not to use tolls please let them know) toll charges incurred whilst tipping are charged to customers.
- **Tip Fees** - Tip Fees Charged to M&K Account will incur a surcharge. Customers are welcome to pay tipping direct or have put directly on their account.

### **12. Cancellations:**

- Cancellations must be called through to the office a minimum of one hour before scheduled start time to prevent charges being incurred.
- If the job is cancelled on route to site or upon arrival (machines still loaded) and M&K is unable to source another job for the subcontractor a minimum hire charge will apply. If M&K is able to source another job for the subcontractor a travel charge will apply.

*Initial Agreeing True & Correct*

---

## TERMS & CONDITIONS OF CONTRACT CONT.

---

- If the job is cancelled after the start time and the machines have been unloaded then a minimum hire charge will apply
- If the machinery/truck remain on site after the start time for any specific reason out of M&K's control and the job is cancelled then a minimum hire charge will apply
- **Disputes** - Disputes may not be recognised unless received on same day of completion of work. All disputes must be emailed to [opmanager@mandkplanthire.com.au](mailto:opmanager@mandkplanthire.com.au) for resolution.
- **COD Customers** - Credit Card details, email address & ABN must be supplied for all COD jobs for payment at the end of each day.
- **Replacement Post Hole Borer** - Teeth and Pilots may be charged if wear is excessive.
- **Rollers** - Rollers need to be returned fully fuelled or fuel charges will be incurred.
- **Stand Down Rates** - Minimum hire charges may apply should the subcontractor be unable to remove their machinery off site for any reason outside of M&K's control.

### **13. Tip Fees:**

All operators must check with the bookings office as to where to take loads to tip unless instructed by the Customers on site. All tip fees must go on M & K PLANT HIRE account while working for an M & K PLANT HIRE SERVICES company, unless the customer request to use their account. Please check your job text also for tip instructions.

### **14. Commissions:**

All docket and invoice hours are at your agreed commission rate of 12%.

### **15. All Dockets must be Filled in Completely:**

If you require a sheet on how to fill them in please contact the office.

### **16. Approaching M&K Customers:**

Approaching M&K customers that you may have subcontracted to while with the M & K team is not acceptable and has legal ramifications.

### **17. Marking Services:**

The subcontractor shall assist the Hirer whenever practical to clearly mark the exact location and identify all services above and below ground at the Site, including, but not limited to drains, pipes, sewers, mains, telephone and data cables, to enable the subcontractor's equipment operator to prevent damage to all such services. These plans can be requested from the DBYD (Dial Before You Dig) website at [www.dialbeforeyoudig.com.au](http://www.dialbeforeyoudig.com.au) or phone 1100.

---

## PAYMENT OPTIONS

---

### Casual Subbies

- **12% Commission.** Paid 30-45 days from end of month for account customers. Paid the following Friday from job date for COD Customers (if invoice has been received).

I, \_\_\_\_\_ herby agree to the conditions of the **12% Commission** option.

Your unit will be allocated jobs by the M & K PLANT HIRE booking office on a daily basis. If you haven't received a job message for the following day, please text the M&K bookings mobile to note your availability. You must keep the office informed if there are any problems with the listed equipment you normally have available to M&K. As a casual sub-contractor you are part of the M & K PLANT HIRE SERVICES PTY LTD team and your equipment must be available during the contracted hours.

I, \_\_\_\_\_ herby agree that by signing this document I have read and agree with all Terms and Conditions.

---

### EXECUTED BY

Sub-Contractor \_\_\_\_\_

This agreement is to remain confidential between M & K PLANT HIRE SERVICES PTY LTD and the above signed subcontractor.

### WITNESS

M & K PLANT HIRE \_\_\_\_\_

Dated \_\_\_\_\_

*Initial Agreeing True & Correct*

# PLANT EQUIPMENT DETAILS (UNIT 1)

## SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

## EXCAVATOR

Machine	Width
(Factory) Weight	Height
Rego No.	Max Dig Depth (Excavator)
Make	Max Auger Depth (Excavator)
Model	Operated by

## PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

Rockbreaker	Ripper	Grab	Rubber Tracks	Cab Off	Knuckle Boom
Compaction Wheel	Tilt Batter Bkt		Pallet Forks	Extension Bar	Zero Swing
Knuckle Boom	Anti Burst Valves	Power Tilt Head	Enclosed Cab	No Tag	
Sleeper Grab	Hand-held laser level	GPS	Height Limiter	Trencher	

<b>Auger/Borers</b>	Sizes	_____
<b>Auger Extension</b>	Size	_____
<b>Rock Augers</b>	Sizes	_____
<b>Clean-out Buckets</b>	Size	_____
<b>Buckets</b>	Sizes	_____
<b>Batter Buckets</b>	Size	_____
<b>Batter Blades/Bladed Buckets</b>	Size	_____
<b>Tilt Batter Bucket</b>	Size	_____

## EXTRA INFO

.....  
*Initial Agreeing True & Correct*

**BOBCAT**

Machine	-----	Width	-----
Weight	-----	Height	-----
Rego No.	-----	Max Auger Depth (Bobcat)	-----
Make	-----	Operated by	-----
Model	-----	<b>POSI TRACK</b>	

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

Spreader Bar	Pallet Forks	Broom	Profiler	Power Rake	Teeth On Bucket
<b>Borers On Bobcat</b>	Sizes	-----			
<b>Auger Extension</b>	Size	-----			
<b>Tilt Bucket</b>	Size	-----			
<b>4 In 1 Bucket</b>	Notes	-----			
<b>Trencher</b>	Size	-----			

**EXTRA INFO**

-----



**TRUCKS/WATER TRUCK**

Truck	_____	Capacity (Tipper)	_____
Size	_____	Capacity (Dog Trailer)	_____
Rego No.	_____	Capacity (Water Truck)	_____
Make	_____	Model	_____
Ground to top of bin height	_____		

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

- |  |                                      |   |                                    |   |                                     |
|--|--------------------------------------|---|------------------------------------|---|-------------------------------------|
| <input type="checkbox"/> Cab Over          | <input type="checkbox"/> Alloy Body  | <input type="checkbox"/> Steel Body         | <input type="checkbox"/> Low Sided | <input type="checkbox"/> Mud Locks      | <input type="checkbox"/> Diff Locks |
| <input type="checkbox"/> Swinging Tailgate | <input type="checkbox"/> Pintle Hook | <input type="checkbox"/> Can Tip Into Paver | <input type="checkbox"/> Cannon    | <input type="checkbox"/> Front Sprayers |                                     |
| <input type="checkbox"/> Rear Sprayers     | <input type="checkbox"/> Standpipe   |   |                                    |   |                                     |

Stand Pipe: \_\_\_\_\_

Stand Pipe Region: \_\_\_\_\_

**EXTRA INFO**

\_\_\_\_\_

*Initial Agreeing True & Correct*

## PLANT EQUIPMENT DETAILS (UNIT 2)

### SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

### EXCAVATOR

Machine	Width
(Factory) Weight	Height
Rego No.	Max Dig Depth (Excavator)
Make	Max Auger Depth (Excavator)
Model	Operated by

### PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

Rockbreaker	Ripper	Grab	Rubber Tracks	Cab Off	Knuckle Boom
Compaction Wheel	Tilt Batter Bkt		Pallet Forks	Extension Bar	Zero Swing
Knuckle Boom	Anti Burst Valves	Power Tilt Head	Enclosed Cab	No Tag	
Sleeper Grab	Hand-held laser level	GPS	Height Limiter	Trencher	

<b>Auger/Borers</b>	Sizes	_____
<b>Auger Extension</b>	Size	_____
<b>Rock Augers</b>	Sizes	_____
<b>Clean-out Buckets</b>	Size	_____
<b>Buckets</b>	Sizes	_____
<b>Batter Buckets</b>	Size	_____
<b>Batter Blades/Bladed Buckets</b>	Size	_____
<b>Tilt Batter Bucket</b>	Size	_____

### EXTRA INFO

\_\_\_\_\_

*Initial Agreeing True & Correct*

**BOBCAT**

Machine	-----	Width	-----
Weight	-----	Height	-----
Rego No.	-----	Max Auger Depth (Bobcat)	-----
Make	-----	Operated by	-----
Model	-----	<b>POSI TRACK</b>	

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

Spreader Bar	Pallet Forks	Broom	Profiler	Power Rake	Teeth On Bucket
<b>Borers On Bobcat</b>	Sizes	-----			
<b>Auger Extension</b>	Size	-----			
<b>Tilt Bucket</b>	Size	-----			
<b>4 In 1 Bucket</b>	Notes	-----			
<b>Trencher</b>	Size	-----			

**EXTRA INFO**

-----

**TRUCKS/WATER TRUCK**

Truck	_____	Capacity (Tipper)	_____
Size	_____	Capacity (Dog Trailer)	_____
Rego No.	_____	Capacity (Water Truck)	_____
Make	_____	Model	_____
Ground to top of bin height	_____		

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

- |  |                                      |   |                                    |   |                                     |
|--|--------------------------------------|---|------------------------------------|---|-------------------------------------|
| <input type="checkbox"/> Cab Over          | <input type="checkbox"/> Alloy Body  | <input type="checkbox"/> Steel Body         | <input type="checkbox"/> Low Sided | <input type="checkbox"/> Mud Locks      | <input type="checkbox"/> Diff Locks |
| <input type="checkbox"/> Swinging Tailgate | <input type="checkbox"/> Pintle Hook | <input type="checkbox"/> Can Tip Into Paver | <input type="checkbox"/> Cannon    | <input type="checkbox"/> Front Sprayers |                                     |
| <input type="checkbox"/> Rear Sprayers     | <input type="checkbox"/> Standpipe   |   |                                    |   |                                     |

Stand Pipe: \_\_\_\_\_

Stand Pipe Region: \_\_\_\_\_

**EXTRA INFO**

\_\_\_\_\_

# PLANT EQUIPMENT DETAILS (UNIT 3)

## SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

## EXCAVATOR

Machine	Width
(Factory) Weight	Height
Rego No.	Max Dig Depth (Excavator)
Make	Max Auger Depth (Excavator)
Model	Operated by

## PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

Rockbreaker	Ripper	Grab	Rubber Tracks	Cab Off	Knuckle Boom
Compaction Wheel	Tilt Batter Bkt		Pallet Forks	Extension Bar	Zero Swing
Knuckle Boom	Anti Burst Valves	Power Tilt Head	Enclosed Cab	No Tag	
Sleeper Grab	Hand-held laser level	GPS	Height Limiter	Trencher	

<b>Auger/Borers</b>	Sizes	_____
<b>Auger Extension</b>	Size	_____
<b>Rock Augers</b>	Sizes	_____
<b>Clean-out Buckets</b>	Size	_____
<b>Buckets</b>	Sizes	_____
<b>Batter Buckets</b>	Size	_____
<b>Batter Blades/Bladed Buckets</b>	Size	_____
<b>Tilt Batter Bucket</b>	Size	_____

## EXTRA INFO

\_\_\_\_\_

*Initial Agreeing True & Correct*

**BOBCAT**

Machine	-----	Width	-----
Weight	-----	Height	-----
Rego No.	-----	Max Auger Depth (Bobcat)	-----
Make	-----	Operated by	-----
Model	-----	<b>POSI TRACK</b>	

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

Spreader Bar	Pallet Forks	Broom	Profiler	Power Rake	Teeth On Bucket
<b>Borers On Bobcat</b>	Sizes	-----			
<b>Auger Extension</b>	Size	-----			
<b>Tilt Bucket</b>	Size	-----			
<b>4 In 1 Bucket</b>	Notes	-----			
<b>Trencher</b>	Size	-----			

**EXTRA INFO**

-----

**TRUCKS/WATER TRUCK**

Truck	_____	Capacity (Tipper)	_____
Size	_____	Capacity (Dog Trailer)	_____
Rego No.	_____	Capacity (Water Truck)	_____
Make	_____	Model	_____
Ground to top of bin height	_____		

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

- |                   |             |                    |           |                |            |
|-------------------|-------------|--------------------|-----------|----------------|------------|
| Cab Over          | Alloy Body  | Steel Body         | Low Sided | Mud Locks      | Diff Locks |
| Swinging Tailgate | Pintle Hook | Can Tip Into Paver | Cannon    | Front Sprayers |            |
| Rear Sprayers     | Standpipe   |                    |           |                |            |

Stand Pipe: \_\_\_\_\_

Stand Pipe Region: \_\_\_\_\_

**EXTRA INFO**

\_\_\_\_\_

# PLANT EQUIPMENT DETAILS (UNIT 4)

## SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

### EXCAVATOR

Machine	_____	Width	_____
(Factory) Weight	_____	Height	_____
Rego No.	_____	Max Dig Depth (Excavator)	_____
Make	_____	Max Auger Depth (Excavator)	_____
Model	_____	Operated by	_____

### PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

Rockbreaker	Ripper	Grab	Rubber Tracks	Cab Off	Knuckle Boom
Compaction Wheel	Tilt Batter Bkt		Pallet Forks	Extension Bar	Zero Swing
Knuckle Boom	Anti Burst Valves	Power Tilt Head	Enclosed Cab	No Tag	
Sleeper Grab	Hand-held laser level	GPS	Height Limiter	Trencher	

<b>Auger/Borers</b>	Sizes	_____
<b>Auger Extension</b>	Size	_____
<b>Rock Augers</b>	Sizes	_____
<b>Clean-out Buckets</b>	Size	_____
<b>Buckets</b>	Sizes	_____
<b>Batter Buckets</b>	Size	_____
<b>Batter Blades/Bladed Buckets</b>	Size	_____
<b>Tilt Batter Bucket</b>	Size	_____

### EXTRA INFO

\_\_\_\_\_

*Initial Agreeing True & Correct*



**BOBCAT**

Machine	-----	Width	-----
Weight	-----	Height	-----
Rego No.	-----	Max Auger Depth (Bobcat)	-----
Make	-----	Operated by	-----
Model	-----	<b>POSI TRACK</b>	

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

Spreader Bar	Pallet Forks	Broom	Profiler	Power Rake	Teeth On Bucket
<b>Borers On Bobcat</b>	Sizes	-----			
<b>Auger Extension</b>	Size	-----			
<b>Tilt Bucket</b>	Size	-----			
<b>4 In 1 Bucket</b>	Notes	-----			
<b>Trencher</b>	Size	-----			

**EXTRA INFO**

-----

**TRUCKS/WATER TRUCK**

Truck	_____	Capacity (Tipper)	_____
Size	_____	Capacity (Dog Trailer)	_____
Rego No.	_____	Capacity (Water Truck)	_____
Make	_____	Model	_____
Ground to top of bin height	_____		

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

- |  |                                      |   |                                    |   |                                     |
|--|--------------------------------------|---|------------------------------------|---|-------------------------------------|
| <input type="checkbox"/> Cab Over          | <input type="checkbox"/> Alloy Body  | <input type="checkbox"/> Steel Body         | <input type="checkbox"/> Low Sided | <input type="checkbox"/> Mud Locks      | <input type="checkbox"/> Diff Locks |
| <input type="checkbox"/> Swinging Tailgate | <input type="checkbox"/> Pintle Hook | <input type="checkbox"/> Can Tip Into Paver | <input type="checkbox"/> Cannon    | <input type="checkbox"/> Front Sprayers |                                     |
| <input type="checkbox"/> Rear Sprayers     | <input type="checkbox"/> Standpipe   |   |                                    |   |                                     |

Stand Pipe: \_\_\_\_\_

Stand Pipe Region: \_\_\_\_\_

**EXTRA INFO**

-----

# PLANT EQUIPMENT DETAILS (UNIT 5)

## SUBCONTRACTOR TRADING NAME

(PLEASE USE MULTIPLE FORMS FOR MULTIPLE PIECES OF PLANT, PLEASE BE THOROUGH)

## EXCAVATOR

Machine	_____	Width	_____
(Factory) Weight	_____	Height	_____
Rego No.	_____	Max Dig Depth (Excavator)	_____
Make	_____	Max Auger Depth (Excavator)	_____
Model	_____	Operated by	_____

## PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED

Rockbreaker	Ripper	Grab	Rubber Tracks	Cab Off	Knuckle Boom
Compaction Wheel	Tilt Batter Bkt		Pallet Forks	Extension Bar	Zero Swing
Knuckle Boom	Anti Burst Valves	Power Tilt Head	Enclosed Cab	No Tag	
Sleeper Grab	Hand-held laser level	GPS	Height Limiter	Trencher	

<b>Auger/Borers</b>	Sizes	_____
<b>Auger Extension</b>	Size	_____
<b>Rock Augers</b>	Sizes	_____
<b>Clean-out Buckets</b>	Size	_____
<b>Buckets</b>	Sizes	_____
<b>Batter Buckets</b>	Size	_____
<b>Batter Blades/Bladed Buckets</b>	Size	_____
<b>Tilt Batter Bucket</b>	Size	_____

## EXTRA INFO

\_\_\_\_\_

*Initial Agreeing True & Correct*

**BOBCAT**

Machine	-----	Width	-----
Weight	-----	Height	-----
Rego No.	-----	Max Auger Depth (Bobcat)	-----
Make	-----	Operated by	-----
Model	-----	<b>POSI TRACK</b>	

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

Spreader Bar     
  Pallet Forks     
  Broom     
  Profiler     
  Power Rake     
  Teeth On Bucket

<b>Borers On Bobcat</b>	Sizes	-----
<b>Auger Extension</b>	Size	-----
<b>Tilt Bucket</b>	Size	-----
<b>4 In 1 Bucket</b>	Notes	-----
<b>Trencher</b>	Size	-----

**EXTRA INFO**

-----

**TRUCKS/WATER TRUCK**

Truck \_\_\_\_\_ Capacity (Tipper) \_\_\_\_\_  
 Size \_\_\_\_\_ Capacity (Dog Trailer) \_\_\_\_\_  
 Rego No. \_\_\_\_\_ Capacity (Water Truck) \_\_\_\_\_  
 Make \_\_\_\_\_ Model \_\_\_\_\_  
 Ground to top of bin height \_\_\_\_\_

**PLEASE TICK ATTACHMENTS AND NOTE SIZES WHERE INDICATED**

- |                   |             |                    |           |                |            |
|-------------------|-------------|--------------------|-----------|----------------|------------|
| Cab Over          | Alloy Body  | Steel Body         | Low Sided | Mud Locks      | Diff Locks |
| Swinging Tailgate | Pintle Hook | Can Tip Into Paver | Cannon    | Front Sprayers |            |
| Rear Sprayers     | Standpipe   |                    |           |                |            |

Stand Pipe: \_\_\_\_\_

Stand Pipe Region: \_\_\_\_\_

**EXTRA INFO**

-----



accounts@mandkplanthire.com.au  
311 Redland Bay Rd, Capalaba QLD 4157  
Tel: 07 3245 4414